

UNIVERSAL ADJUSTABLE L PLATE





NLP-C



NLP-S



NLP-C(G)




NLP-S(G)

	NLP-C	NLP-S	NLP-C(G)	NLP-S(G)
Size(LxWxH)	95.5mmx38mmx82.5mm	102.4mmx38mmx82.7mm	95.7mmx38mmx82.5mm	101.8mmx38mmx82.3mm
Weight	87.7g	90.9g	88.3g	91.2g
Compatibility	<p>SONY:A7 A7R NIKON:Df、 D750、 D780、 D850、 D810、 D810A、 D800、 D610、 D500、 D7500、 D7200、 D5600、 D5300、 D3500 CANON:EOS M6、 6D、 EOS 5D4、 5D3、 5D2、 5Ds、 5DSR、 400D、 FUJIFILM:GFX 100S、 GFX 50R、 GFX50S2、 GFX50S、 X-T30 II、 X-Pro3、 X-T3、</p>	<p>SONY:A1、 A72、 A7M2、 A7S2、 A73、 A7M3、 A7R2、 A7R3、 A7R4、 A9、 A9II、 A6600、 A6400、 A6300 NIKON:D3400、 Z6II/Z6、 Z7II/Z7、 Zfc、 Z5、 Z50、</p>	<p>CANON:EOS 6D2、 EOS RP、 EOS 850D、 EOS 90D、 EOS 80D、 EOS 70D、 EOS 60D、 EOS 200D FUJIFILM:X-T4</p>	<p>SONY:A7M4、 A7C、 A7S3 CANON:EOS R、 EOS R5、 EOS R6、 EOS M50、</p>

Allows rapid switching between horizontal and vertical positions

Easy connection to tripod head
Both sides are Arca compatible





Mortise and tenon structure

Aircraft grade aluminum for strength and durability

Adjustable positioning of the short edge

Universal fit for a large range of cameras



Bigger rubber structure

For added camera protection

Paint etched logo





Includes magnetic wrench

Easy Handling

Stainless steel screw

Strong and durable



**Compatible with full
movements of flip screens**



**Retains easy access to
camera battery**



Precise fit to camera body

Improved stability and consistency



Four available models

Compatible with most cameras

